


Tessuto / Fabric / Tissu

ORTISEI



ORTISEI



01



02



03



04



05



10



11



09



08



07



14



12



13



17



19



16



15

ORTISEI

Composizione / Composition: 45%CO 15%WO 13%AC 19%VI 8%NY

Altezza / Height / Hauteur: 140 cm

Peso / Weight / Poids: 950 gr/mtl

Pilling: 4 cycles (UNI EN ISO 12945-2)

Lavaggio a secco / Dry washing: Ordito / warp -4,8/-4,4; Trama / weft -3,1/-1,3 (UNI EN ISO 3175-2:2010)

Solidità allo sfregamento secco / Dry rubbing: Ordito / warp 4-5; Trama / weft 4-5 (UNI EN ISO 105 X 12:2016)

Solidità allo sfregamento umido / Wet rubbing: Ordito / warp 4-5; Trama / weft 4-5 (UNI EN ISO 105 X 12:2016)

Solidità del colore alla luce / Fastness to light / Résistance à la lumière: 5 (ISO 105B02 :2014)

Resistenza lacerazione / Tear strength: Ordito / warp ND. N; Trama / weft 194,5 N (UNI EN ISO 13937-3:2002)

Resistenza alla trazione / Tensile strength: Ordito / warp 540 N; Trama / weft 640 N (UNI EN ISO 13934-2:2014)

Resistenza delle cuciture / Strength of the seams: Ordito / warp 7,1mm; Trama / weft 9,8mm (UNI EN ISO 13936-2:2014)

Resistenza alla abrasione / Resistance to abrasion: 60.000 giri (ISO 12947-1:2000 - UNI EN ISO 12947-2:2017)



I campioni dei materiali sono un riferimento indicativo, l'aspetto delle finiture può variare per la natura stessa del prodotto

The samples of the materials are an approximate reference, the appearance of the finishes may vary because of the nature of the product itself

Les échantillons des matériaux sont une référence indicative, l'aspect des finitions peut varier du fait de la nature même du produit